



Appendix A


Town Centre Boundary Options












Appendix B

Vehicle Parking Standard



Medway Council Parking Standards

(Adopted May 2001) Second edition September 2004



Integrated Transport Team – who to contact

For further information on Medway Council's Parking Standards please contact the Integrated Transport Team:



Telephone (01634) 331427

Fax **(01634) 331125**

Write to Integrated Transport Team

Regeneration and Environment

Medway Council Compass Centre Chatham Maritime Kent ME4 4YH

Email Itp@medway.gov.uk

or visit our

website at www.medway.gov.uk



Minicom (01634) 331300

This information is available in other formats from **(01634) 331427**

If you have any questions about this leaflet and you want to speak to someone in your own language please ring (01634) 335577

এই লিফলেট সম্পর্কে আপনার যদি কোন প্রশ্ন থাকে এবং এ ব্যাপারে আপনার নিজের 331780 ভাষায় কারো সাথে আলাপ করতে চান, তাহলে দয়া করে এই নম্বরে টেলিফোন করুন: (Bengali)

如果你對這本小冊的內容有任何疑問,且想與會說你的語言的某人談 **331781** 話,請打這個電話號碼 (Chinese)

જો તમને આ પત્રિકા વિશે કોઈ પ્રશ્નો હોય અને તમે તમારી માતૃભાષામાં કોઈની સાથે વાત કરવા માગતા હો તો કૃપા કરીને આ નંબર ઉપર ફોન કરો

331782 (Gujarati)

यदि आपने इस लीफलैट के बारे में कुछ पूछना है और उस व्यक्ति के साथ आप अपनी भाषा में बात करना चाहते है, तो कृप्या निम्नलिखित नंबर पर टैलीफोन करने करे.:

331783 (Hindi)

ਜੇ ਤੁਸੀਂ ਇਸ ਲੀਫਲੈੱਟ ਦੇ ਬਾਰੇ ਕੁੱਝ ਪੁੱਛਣਾ ਚਾਹੁੰਦੇ ਹੋਵੇ ਅਤੇ ਤੁਸੀਂ ਉਸ ਵਿਅਕਤੀ ਦੇ ਨਾਲ ਆਪਣੀ ਬੋਲੀ ਵਿੱਚ ਗੱਲ ਕਰਨੀ ਚਾਹੁੰਦੇ ਤੋਂ, ਤਾਂ ਕ੍ਰਿਪਾ ਕਰਕੇ ਅੱਗੇ ਲਿਖੇ ਨੰਬਰ ਤੇ ਟੈਲੀਫੋਨ ਕਰੋ: 331784 (Punjabi)

اگرآپ اس کتا بچ کے بارے میں کوئی سوال ہو چھنا چاہتے ہیں اور آپ کسی فرد سے اپنی زبان میں بات کرنے کے خواہشمند ہیں تو براہ مہربانی اس نمبر برفون سیجئے۔

331785 (Urdu)

Elinizdeki bu yazılı duyuru ile ilgili herhangi bir sorunuz varsa ve dilinizi bilen birisi ile konuşmak istiyorsanız, lütfen 331786 numaraya telefon edin.

331786 (Turkish)

Medway Council parking standards (Adopted May 2001)

Introduction

Medway's Local Transport Plan 2000-2005 aims to reduce the use of car travel and encourage cycling, walking and public transport as alternative modes. Vehicle parking standards help achieve this by limiting the number of parking spaces in new developments.

This approach is fully supported by national, regional and local government policies such as the Medway Local Plan (Adopted Version 2003). The following policies from the MLP (2003) are applicable to parking standards:

- T1: Impact of development
- T2: Access to the highway
- T4: Cycle facilities
- T11: Development funded transport improvements
- T13: Vehicle parking standards
- T14: Travel Plans
- T15: Parking strategy
- T16: Rainham town centre parking
- T17: Park and ride
- T22: Provision for people with disabilities
- BNE2: Amenity Protection
- R18: Take away hot food shops, restaurants, cafes, bars and public houses

Parking standards for people with a disability

Parking for people with a disability must be provided in addition to maximum parking standards. The minumum number of parking spaces required for disabled motorists is given in the table below.



Minimum number of parking spaces for motorists with a disability				
Land use category	Car park size			
	Up to 200 spaces	Over 200 spaces		
Business premises - employees	One for each registered disabled employee disabled employee.			
Business premises - visitors	Two or 5% of the maximum parking standard (whichever is greater) Six or 2% of the maximum parking standard (whichever greater)			
Shopping and recreation	Three or 6% of the maximum parking standard (whichever is greater) Four or 4% of the maximum parking standard (whichever is greater)			
Hotels with specially designed rooms	One space for each specially designed room			

Parking standards for new development

The parking standards for private cars for land use classes A1, B1, C3, D1 and D2 were adopted in May 2001 as interim parking standards and take account of the guidance in PPG13, PPG3 and RPG9. It is hoped that Kent County Council and the District Councils in Kent will be able to work in partnership with Medway Council to agree common standards across Kent. The remaining vehicle parking standards for private cars and commercial vehicles are based on Kent County Council adopted standards.



Cycle parking standards are taken from the Medway Council's *Strategy to encourage walking and cycling and to assist people with restricted mobility*, which is a supporting document to the council's Local Transport Plan. The following tables show parking standardsfor new developments. A transport assessment will be required if the proposed development is above a certain threshold (and in some cases if requested) and this is indicated in the tables.

	Par	king standaı	rds	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
A1 retail				
Food retail, including cold food take-away	One per 18m² GFA	One per 500m² GFA	One per 250m² GFA for staff and customers (refer to note 6)	1000m²
Non food retail warehouses	One per 20m² GFA	One per 500m² GFA		
Garden centres	One per 10m ² of area open to public	(refer to note 1)		(refer to note 3)

	Parking	standards		
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
A2 Financial and p	rofessional ser	vices		
Accountants, betting offices, banks or building societies, solicitors, etc.	One per 18m ² GFA plus one space per member of staff	Nil	One per 400m² GFA for staff	Over 500 trips per day
A3 Food and drink				
Public houses and licensed bars	One per 4m ² GFA, plus one per 8m ² GFA for off- licence	(refer to note 1)	One per 250m² GFA for staff and customers (refer to note 6)	(refer to note 3)
Restaurants, cafes and banqueting halls	One per 6m ² GFA, plus one per member of staff			
Transport cafes	(refer to note 8)	One per 5m² GFA		
Hot food take- aways	Six per unit (refer to note 4)	Nil		

	Parl	king standar	ds	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
B1 Business				
Offices, research and development of products and processes, industrial processes	One per 30m² GFA	(refer to note 1)	One per 400m² GFA for staff	2500m²
B2 General indust	rial			
General industrial	One per 50m² GFA	(refer to note 1)	One per 500m²	3000m²
B3 – B7 (Refer to n B8 Storage and di				
Storage and distribution	One per 110m ² GFA (refer to note 10)	One per 1500m³ GBV	One per 500m²	(refer to note 3)
Wholesale trade distribution	One per 35m² GFA (refer to note 10)	One per 500m² GFA		

	Par	king standar	ds	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
C1 Hotels and hos	tels			
Residential hostels	One per two occupants plus one space per member of staff	Nil	(refer to note 8)	Over 500 trips per day
Hotels	One per bedroom	Nil	(refer to note 8)	Over 50 bedrooms
C2 Residential ins	titutions			
Nursing homes with attendant care	One per six residents (for visitors) plus one space per member of staff	One space (refer to note 5)	(refer to note 8)	Over 500 trips per day
Hospitals	Two per three beds plus four for each consulting room			
Residential schools, colleges or training centres	Visitor/student parking (refer to note 11) plus one space per member of staff	(refer to note 1)		

Areas of high transport accessibility (refer to note 12) - any no. of bedrooms	Average of one and a half per dwelling across site	Nil	One per five dwellings (refer to note 7)	Over 50 households
Areas of medium or low transport accessibility (refer to note 13) - one bedroom	One and one third per unit (refer to note 2)			
Areas of medium or low transport accessibility (refer to note 13) - two or three bedrooms	Two per unit (refer to note 2)			
Areas of medium or low transport accessibility (refer to note 13) - four or more bedrooms)	Three per unit (refer to note 2)			
Sheltered housing and warden- controlled homes for the elderly	One per unit (refer to note 2) plus one per staff member		(refer to note 8)	

	Par	king standa	rds	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
D1 Non-residentia	l institutions			
Places of worship	One per five seats	Nil	(refer to note 8)	Over 500 trips per
Schools (non- residential) - primary and secondary	One per member of staff plus drop off area (refer to note 9)	(refer to note 1)		day
Schools (non- residential) - sixth form college	One per member of staff plus 10% casual parking plus one per seven students plus drop off area (refer to note 9)			
Further and higher education	One per 15 full time students plus one per two staff members			2500m²

	Par	king standa	rde	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
D1 Non-residentia	al institutions - c	ontinued		
Libraries	One per 60m² GFA	Nil	(refer to note 8)	Over 500 trips per day
Clinics	Four per consulting/ treatment room plus one per member of staff			uay
Crèches/ playschools or nurseries — includes day nursery and day centre	One per two staff members plus one per four children for parents			
Art galleries, museums	(refer to	note 3)		
D2 Assembly and	leisure			
Cinemas, ballrooms, bingo, church halls, community centres	One per five seats	Nil	(refer to note 8)	1000m²
Sports facilities	(refer to n	ote 3)		
Night clubs, social halls	One per 20m²	Nil		

	Par	king standa	rds	
Land use category	Maximum no. of car parking spaces	Minimum no. of commercial vehicle parking spaces	Minimum no. of cycle parking spaces	Threshold for transport assessment
Unclassified				
Vehicle sales	One per 50m ² of site area	(refer to note 1)	(refer to note 8)	(refer to note 3)
Petrol filling stations	One per 20m² of site area			
Car servicing and repairs	Four per service bay	Nil		
Open commercial uses	One per member of staff	(refer to note 3)		
Boating facilities, marina	One per berth			
Touring caravan sites	1.1 per unit plus one per member of staff	Nil		
Amusement arcades	One per member of staff			
Car hire	One per four cars in service plus one per member of staff			
Theatre	One per five seats			

Parking space dimensions

The following table shows Medway Council's minimum and optimum dimensions for parking spaces and aisle widths.

	Minimum size	Optimum size
Car parking space	2.4m x 4.8m	2.4m x 5.5m
Car parking space for motorists with a disability	3.2m x 4.8m	3.6m x 5.5m
Car parking spaces laid end to end	2.4m x 6m	-
Van parking space	3.5m x 7.5m	-
Articulated lorry space	3.5m x 16m	-
Rigid lorry space	3.5m x 12m	_
Width of aisle giving direct access to 90° parking	6m	-
Single garage size (for the purpose of parking assessment)	13.2m² (See note 2)	
Double garage size (for the purpose of parking assessment)	26.4m² (See note 2)	

Additional information

Additional information to justify the standards can be found in the following documents:

- Central government's white paper on the future of transport A New Deal for Transport.
- PPG3, PPG13 and RPG9.
- Reducing Mobility Handicaps (IHT, London, 1991).
- Stategy to encourage walking and cycling and to assist people with restricted mobility - Medway Council.

Notes

- 1. Space for deliveries off the public highway required.
- 2. A single garage with a GFA of less than13.2m² is not included in the parking assessment. A double garage with a GFA of less than 26.4m² but greater than 13.2m² is treated as a single garage. Multiple longitudinal parking per plot will be assessed as a maximum provision of two spaces irrespective of combined length of driveway and garage. Communal spaces should not be located more than 20m from the dwellings they serve.
- 3. Assessment on an individual basis.
- 4. Drive-in or drive through facilities must provide sufficient on-site waiting space for vehicles to stand clear of the highway.
- Separate provision must be made for ambulances and delivery vehicles.
- Cycle parking for GFA below threshold to be determined on individual merits.
- 7. Applicable only to high density developments sharing common facilities.
- 8. To be determined on individual merits.
- 9. Space should be provided for the setting down and picking up of children away from the highway.
- Plus car space provision for site offices up to maximum B1 (office) standard.
- 11. One space per two students of driving age, one space per ten resident pupils below driving age for visitors.
- 12. Urban areas where good public transport links exist together with attractive amenities within the vicinity.
- 13. Suburban and rural areas where public transport opportunities are limited and schools, shops and places of recreation are not provided locally.

Glossary

GFA Gross Floor Area (internal)

GBV Gross Building Volume

PPG3 Planning Policy Guidance 3 - Housing

PPG13 Planning Policy Guidance 13 – Transport

RPG9 Regional Planning Guidance 9

Produced by:

Integrated Transport Team
Development and Environment Directorate
Medway Council
Compass Centre
Chatham Maritime
Chatham, Kent,
ME4 4YH

transport.planning@medway.gov.uk

September 2004

Medway Council Residential Parking Standards

from 1 March 2010

C3 Residential dwellings *					
Dwelling size	Minimum number of car parking spaces per dwelling	Minimum number of cycle parking spaces per dwelling			
1 bedroom	1.0 (1)(2)	1.0 (4)			
2 bedrooms	1.5 (1)(2)	1.0 (4)			
3 bedrooms & above	2.0 (1)(2)	1.0 (4)			
Visitor parking	0.25 (3)	0			

Notes

- 1 Reductions of the standard will be considered if the development is within an urban area that has good links to sustainable transport and where day-to-day facilities are within easy walking distance.
- 2 Excludes garage if less than 7m x 3m internal dimension.
- 3 Applies to a minimum threshold of 4 residential units. Requirement for provision is rounded down, i.e. 5 to 7 units require 1 visitor space, 8 to 11 units require 2 spaces, etc. Visitor or unallocated vehicle parking can, subject to appropriate design, be located on or near the road frontage.
- 4 Not required if garage or secure area is provided within curtilage of dwelling

^{*} Parking standards for all other land use categories are unchanged. Please refer to Medway Council Parking Standards (Adopted May 2001), Second edition September 2004.

Appendix C

Safeguarded Waste Sites

Category	Site Name	Operator	Postcode	Easting	Northing	Planning Permission?
Landfill -	Alpha Lake	Brett Aggregates Ltd	ME3 7SX	571228	176087	Υ
Lanunn	Manor Farm Barn Landfill and Recovery Operation	Downland Trading (Kent) Ltd	ME2 4UT	574568	169993	Υ
MRS	Whitewall Road	European Metal Recycling Ltd	ME2 4DZ	575008	169436	Υ
On/In Land	Commissioners Road Recovery Operation	Medway Preservation & Development Ltd	ME2 4EQ	574320	169715	Υ
	Capstone		ME7 3JL	577560	164821	Υ
	Cuxton	Medway Norse Ltd	ME2 1LF	571690	167239	Υ
	Hoath Way		ME8 OPU	579608	165493	Υ
Transfer -	Rochester Clinical Waste Treatment Facility	Tradebe Healthcare National Ltd	ME2 4LY	575000	169590	Planning Status uncertain but permit granted pre 2012
Hansiei	Chatham Docks, Gillingham Gate	Mobile Compactor Services Ltd	ME4 4SW	577571	170067	Υ
	Isle Of Grain Stone Terminal	Aggregate Industries UK Ltd	ME3 0AG	587574	174292	Υ
	Medway WTS	Veolia ES (UK) Ltd	ME2 4DZ	574709	169545	Υ
	Unit 18 Morgans Timber Yard	Andrew David Stevens	ME2 2BA	573330	168446	Yes, but planning for redevelopment to commercial space
	212 Kingsnorth Industrial Estate, Hoo	Albus Environmental Ltd	ME3 9NZ	580810	197290	Υ
	Kingsnorth Works, Kingsnorth Industrial Estate	Composting Facilities Services Ltd	ME3 9NZ	580815	172942	Υ
	Pelican Reach (Plot L)	Viridor Polymer Recycling Ltd	ME2 4NF	575410	169210	Υ
	Berth 6, Basin 3 Chatham Dockyard,	P & D Material Recovery Ltd	ME4 4SR	577300	170200	Υ
	Berth 6, Chatham Dockyard	Street Fuel Ltd	ME4 4SR	577300	170200	Υ
Treatment	Units 106 & 139, Kingsnorth Industrial Estate	Slicker Recycling Ltd	ME3 9ND	580840	173450	Υ
	Medway Recycling Centre, Malmaynes Hall Farm	OCL Regeneration Ltd	ME3 9SG	580923	175410	Υ
	Darnet Yard	Parkes Utilities Surfacing Ltd	ME39NZ	580785	172772	
	Units 127 & 190 Kingsnorth Industrial Estate	Syntech Biofuel Ltd	ME3 9ND	580860	173140	Planning Status uncertain - permit
	Building 63, Chatham Docks	Chatham Freight Station Ltd	ME4 4SR	577500	169900	granted post 2012
	Unit 5 Temple Boat Yard	Saward Tipping Services Ltd	ME2 2AG	573512	168707	
Т9	The Woodlands Hempstead Road	Robert Beck And Sons	ME7 3QL	578822	163324	
Exemptions	Unit 6, Shamel Business Centre Commissioners Rd	Medway Metals Ltd	ME2 4HQ	574460	169486	Planning Status uncertain - no permit
Scrap Metal	1 Vicarage Lane, Hoo St Werburgh	Hoo Marina Metals	ME3 9AZ	578525	171382	but may be lawful use due to time.
Dealers	28 Glencoe Road, Chatham	WB Phillips Metals Ltd	ME4 5QB	576024	166952	
		Planning but Site not yet oper	ational			
Landfill	Chalk Lake Landfill	Brett Aggregates Ltd	ME3 7SX	572030	175466	Υ
ERF	Medway One	Low Carbon W2E2 Ltd	ME3 9NQ	580617	172195	Υ
MRF	George Summers Close	Veolia	ME2 4DY	575424	169656	